25-Year Limited Aluminum Substrate	Warranty
25-fear Limiteu Aluminum Substrate	vvarranty

25 Teal Enlined Administration Substitute Wallanty
Aluminum Substrate Roof Warranty (collectively, the "Warranty") is issued bythe Coll Producer
(hereinafter referred to as "") to the Manufacturer/Fabricator/Contractor (hereinafter referred to as "Customer")
and applies to aluminum substrate flat sheet and coil products (hereinafter referred to as the "Product") with PVDF based coating
consisting of KYNAR 500® or Hynar5000® resin (hereinafter referred to as the "Coating") if erected anywhere within the
Continental United States including Alaska and Hawaii and Canada.
1. Subject to the provisions contained herein, warrants that during the Twenty-Five (25) Year Warranty Period the
aluminum material will not perforate from corrosion.
2. This Warranty does not apply to circumstances beyond's control, including:
a. Product is installed beyond the water's edge.
b. Area of significant differences in insulation below the metal panel or from interior corrosion
c. Acts of Nature, such as, hurricanes, earthquakes, extraordinary winds, winds which detach from the facility any part of the building substate to which the roof is attached, lightning, hail, fire, radiation, or other acts of Nature which are norma covered by hazard insurance.
d. Unusual harmful fumes, foreign substances in the atmosphere, whether intermittent or continual submersion in standic water including liquids or sold materials, such as dirt, debris, sand, salt, or water deposits. Failure to check against pondir water and mildew.
e. Areas subject to fallout exposure to corrosive chemicals, ash, fumes, cement dust, animal waste or its decomposition by products; fallout from copper, lead, nickel, galvanic, silver mining or refining operations and carbon black.
f. Conditions/circumstances where corrosive fumes or condensation are generated or released inside the building.
g. Areas subject to water run-off from lead or copper flashing or piping or areas in contact with lead or copper or lumber containing same
h. Failure to maintain and clear dead areas, valleys, gutter, downspouts, and drains from accumulation of mentioned elements in 2.d. Failure to prevent physical damage caused by falling objects, such as limbs, branches, or falling objects from nearby structures. Failure to keep branches, plants or other materials trimmed away from surface.
i. Improper treatment of defects in the metal, such as scratches, scuffs, chipping, flaking, and chalking or fading of paint, cracks or tears or from the fabrication or in areas where items, such as, snow guards or solar panels are attached / adhere to the product.
j. Deliberate damage, improper handling by erectors, or abrasive or chemical cleaners
k. Mishandled Products, e.g., ANY PRODUCT WHICH HAS BEEN ABUSED, ALTERED, MODIFIED, USED IN A MANNER NOT ORIGINALLY INTENDED, OR STORED CONTRARY TO MANUAFACTURER/FABRICATOR'S INSTRUCTIONS.

m. Product stored or installed in a way that allows for poor air circulation, standing water, or contact with animals or animal waste.

I. Damage caused through poor workmanship, carelessness, or error by any workers or other individuals who access the

roof for whatever reason.

n. Embossing those fractures or severely stretches the film (i.e., film is diminished at the point of embossing by greater than 0.2 mils.)
3. This Warranty does not cover damage or deterioration resulting from moisture contamination or entrapment or any other contamination detrimental to the coating, which occurs prior to installation of the Products, including, without limitation, contamination occurring during shipment of the Product to the jobsite or during storage at the jobsite.
4. All Warranty work will be performed by, or any company, dealer, contractor, applicator, or distributor selected by
Since there may be a color variance between the replacement or repainted Product and the originally installed
Product due to normal weathering (i.e., exposure to sunlight and extremes of temperature and weather) of the originally installed
products, this condition shall not be indicative of a defect.
5. NOT WITHSTANDING ANYTHING TO THE CONTRARY CONTAINED HEREIN,''S LIABILITY SHALL NOT EXCEED THE
REFINISHING OR REPLACEMENT OF THE FAILED COATED MATERIAL. ANY BREACH OF THIS WARRANTY SHALL AUTOMATICALLY
RELIEVE OF ANY AND ALL RESPONSIBILITY AND/OR LIABILITY UNDER THIS WARRANTY SHALL NOT
BE LIABLE FOR DAMAGE OR INJURY TO PROPERTY OTHER THAN THE FLAT SHEET AND/OR COIL PRODUCTS COATED WITH PVDF
PAINT SYSTEMS, IN THE CONDITION AS ORIGINALLY PURCHASED, IN ALL INSTANCES, SHALL HAVE THE SOLE AND
EXCLUSIVE RIGHT TO DETERMINE WHETHER OR NOT REFINISHING OR REPLACEMENT OF THE FAILED AREAS IS REQUIRED, AND TO
FULFILL ITS OBLIGATION UNDER THE WARRANTY,RESERVES THE RIGHT TO NEGOTIATE AND APPROVE ANY FINAL
CONTRACT LET FOR REFINISHING AND REPLACEMENT AS THE CASE MAY BE.
6. This Warranty applies only to products produced by within twelve (12) months from shipment to
Manufacturer/Fabricator/Contractor.
7. Claims under this Warranty must be presented by the Customer to in writing during the warranty period and
within thirty (30) days after Customer becomes aware that any warranted condition has occurred. Time is of the essence and
failure to give notice within the specified, time shall discharge from any obligations under this Warranty.
must be given a reasonable opportunity to do an on-site inspection to determine if there is a perforation caused by
corrosion failure.
8. The laws of the State of Georgia shall exclusively govern the rights and duties of the Parties to this Warranty. Any controversy or
claim arising out of or related to this Warranty or the breach thereof shall be brought before a court of competent jurisdiction in
Alpharetta, GA under the substantive and procedural laws of the State of Georgia.
9. This Warranty only applies to concealed fastener standing seam metal roofing systems and does not cover perforations in the
systems caused by fasteners, rivets or similar roof attachments whether penetrating the system or not.
10. Immediately, within 30 days of discovering any roof corrosion perforation, contact Customer Service with
written notice describing the perforation and sending pictures of the perforation to If the situation
is urgent, call Failure to contact within 30 days will void the Perforation Warranty. Also
do not allow any repairs that are not pre-approved by Failure to obtain pre-approval from for
any repair will void the Perforation Warranty
MANDATORY MAINTENANCE
For this Warranty to apply, the Customer must retain certain records. For to process a claim, we will need to be
told the original coil or skid tag number. Also, to avoid build-up of dirt and debris, sand and salt residue accumulation, the building

owner shall perform a "sweet water" / fresh tap water rinse twice a year in accordance with AAMA 6R10.1.1979. Further, additional maintenance is required immediately following a severe weather event, such as, a hurricane, tornado, hailstorm; damaging wind, rain, or snowstorm; extreme summer heat or winter cold; and a fire, vandalism; or after other trades or non-roofing trades have been on the roof for any reason. Detailed records together with copies of receipts and invoices must be kept of all maintenance.

Failure to conduct mandatory maintenance will void your perforation warranty.

Note: Before performing any surface maintenance, contact the Manufacturer/Fabricator of the Building Systems for assistance to ensure that you are using the proper techniques, procedures, products, chemicals, and materials.

If there is damage to a panel, the entire aluminum panel must be replaced.

Be certain that a detailed report of all work completed by the contractor is obtained.

PERSONAL PROTECTION

While the owner or property manager can conduct surface maintenance, it is highly recommended that the contractor who built the roof system or a company certified to conduct maintenance services be retained. Walking on any roof is dangerous, and the danger increases with the slope of the roof. When performing maintenance on your roof system, always use fall protection and personal safety equipment required by OSHA. Always comply with all safety guidelines whether customary, regulatory, or statutory. Failure to follow these regulations can result in serious injury or death. _______ is not responsible for any injury or death incurred to any individual while conducting building maintenance.

When performing roof maintenance:

- Keep foot traffic to a minimum.
- Step only in the panel flat directly on or in close proximity to a supporting roof structural
- O Do not step in or on gutters or the gutter hanging system.
- o Do not step on or near skylights.
- Do not walk on Light Transmitting Panels.
- Avoid stepping on ridges, caps, seams, flashings.
- Avoid stepping on lap joints in roof panels.
- Avoid stepping on panel ribs between purlins.
- Avoid walking near roof curbs or other roof penetrations.

DISCLAIMER

THIS WARRAN	TY IS GIVEN	AS THE SOLE	AND EXCLUSIV	/E WARRANT	Y AND EXCLU	ISIVE REMED	Y BY OR AGAIN	NST	AND
NO OTHER WA									
FITNESS FOR A									
DISCLAIMED. T	HERE ARE N	NO WARRANT	IES THAT EXTE	ND BEYOND	THE DESCRIP	TION CONTA	INED IN THIS I	NSTRUMENT.	CUSTOMER
WAIVES THE B	ENEFIT OF A	ANY RULE THA	AT THE DISCLAI	MERS OF WA	RRANTY SHA	LL BE CONST	TRUED AGAINS	Т	AND
AGREES THAT	THE DISCLA	IMERS IN THI	S INSTRUMENT	SHALL BE CO	ONSTRUED LI	BERALLY IN F	AVOR OF		
	_ SHALL NO	T BE LIABLE F	OR ANY SPECIA	AL, INCIDENT	AL OR CONSI	EQUENTIAL [DAMAGES	H	HEREBY
DISCLAIMS ALL	LIABILITIES	FOR DAMAG	ES BASED ON	THEORIES OF	NEGLIGENCE	AND STRICT	Γ PRODUCT LIA	BILITY. THIS V	VARRANTY
IS EXTENDED T	O CUSTOM	ER ALONE AN	D NO OTHERS,	IS NON-TRN	SFERABLE AN	ID NON-ASSI	GNABLE AND I	MAY NOT BE E	NLARGED
IN ITS SCOPE B	Y ANY REPF	RESENTATIVE.	SALESPERSON	. AGENT. OR	OTHER EMPL	OYEE OF	. T	HE CUSTOME	R SHALL

NOT PERMIT ANYONE TO CLAIM OR IMPLY THAT THIS WAR	RRANTY EXTENDS OR CAN BE "PASSED THROUGH" TO ANYONE OTHER
	RM OF THIS WARRANTY AND ITS VIOLATION OR BREACH BY CUSTOMER
	HALL VOID AND CANCEL THIS WARRANTY FOR ALL PURPOSES. THE
	NAL INJURY, PROPERTY DAMAGE, LOSS OF PROFIT, DELAY OR ANY
	ROM THE FAILURE OF ANY PRODUCT OR COATING TO CONFORM WITH
	SHALL NOT IN ANY EVENT BE LIABLE TO THE CUSTOMER OR ANY
	USES OF ACTION, DAMAGES, EXPENSES AND/OR LIABILITIES ARISING HE PRODUCT OR COATING, FOR THE INTERUPTION OF THE CUSTOMER'S
	NDED BY OTHERS ON ANY DEFECTIVE PRODUCT OR COATING OR FOR
•	HATSOEVER OR LOSS OF PROFIT OR OTHER FINANCIAL LOSS ARISING
•	NG, EVEN IF HAS BEEN ADVISED OF THE POSSIBILITY OF
	XPENSE, LOSS AND/OR LIABILITIES, WHETHER ARISING FROM BREACH OF
	GLIGENCE, STRICT LIABILITY OR OTHERWISE TO ANYONE BY REASON OF
THE FACT THAT SUCH PRODUCT OR COATING SHALL HAVE	BEEN DEFECTIVE. THE WARRANTY MAY NOT BE MODIFIED IN ANY
RESPECT EXCEPT IN WRITING WHICH STATES THE MODIFIC	ATION AND IS SIGNED BY ALL PARTIES HERETO.
warrants to the Building Owner listed belo	ow that, subject to the express terms, conditions, and disclaimers set
forth in this Warranty that the aluminum substrate roof of	the project as stated below will be free of perforations caused by
corrosion for a period of twenty-five (25) years from the da	ate of completion as stated of the installation of the Roof.
Issued to:	
Project Name:	
Project Address:	
Original Coil or Skid Tag Number:	
Completion Date:	
PARTIES TO 1	THE WARRANTY
	THE WANDEN
Manufacturer/Fabricator/Contractor:	Coil Producer:
(Company Name)	
	(Company Name)
Ву	Ву:
(Authorized Official Signature)	,
	(Authorized Official Signature)
Name:	Name:
(Print Name)	
Title:	(Print Name) Title:
Date:	Date: